

<u>10</u>




FIGURE 1


Title: MECHANISM FOR MAPPING JAVA OBJECTS ONTO AN LDAP REPOSITORY Inventor(s): Humberto A. SANCHEZ II, et al.

Contact Name: David A. Plettner (408) 447-3013

Attorney Docket No.: 10006055-1




2/9



Title: MECHANISM FOR MAPPING JAVA OBJECTS ONTO AN LDAP REPOSITORY Inventor(s): Humberto A. SANCHEZ II, et al.

Contact Name: David A. Plettner (408) 447-3013

Attorney Docket No.: 10006055-1 3/9 **CN-ROLE CONTAINER** CN=NODE GROUP CONTAINER CN=TOOL CONTAINER þ CN=SYSMGMT,HPMXNAME=BMC DATA CENTER,O=HP.COM $\Diamond_{\aleph}^{\aleph}$ CN=SAP SERVER CN=SYSMGMT HPMXNAME=BMC DATA CENTER.O=HP.COM CN=JSMITH CN=KBROWN CN=ORACLE SERVER (23%) [0=HP.COM] HPMXNAME="BMC DATA CENTER CN=USER CONTAINER UID=MXADMIN CN=NODE CONTAINER 8 ||| CN=HOFFMAN 8 111



5/9




FIG. 4B

60, ctd

